

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT				1. CONTRACT ID CODE	PAGE OF PAGES
2. AMENDMENT/MODIFICATION NO. 0003		3. EFFECTIVE DATE 08-Oct-2004	4. REQUISITION/PURCHASE REQ. NO. W32CS542571783	J	1 3
6. ISSUED BY USA ENGINEER DISTRICT, JACKSONVILLE PRUDENTIAL OFFICE BLDG 701 SAN MARCO BLVD ATTN: CESAJCT JACKSONVILLE FL 32207-8175		CODE W912EP	7. ADMINISTERED BY (If other than item 6) See Item 6		
8. NAME AND ADDRESS OF CONTRACTOR (No., Street, County, State and Zip Code)				X	9A. AMENDMENT OF SOLICITATION NO. W912EP-04-T-0043
				X	9B. DATED (SEE ITEM 11) 27-Sep-2004
					10A. MOD. OF CONTRACT/ORDER NO.
					10B. DATED (SEE ITEM 13)
CODE		FACILITY CODE			
11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS					
<input checked="" type="checkbox"/> The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offer <input checked="" type="checkbox"/> is extended, <input type="checkbox"/> is not extended.					
Offer must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended by one of the following methods: (a) By completing Items 8 and 15, and returning <u>1</u> copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.					
12. ACCOUNTING AND APPROPRIATION DATA (If required)					
13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS. IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.					
A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.					
B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(B).					
C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:					
D. OTHER (Specify type of modification and authority)					
E. IMPORTANT: Contractor <input type="checkbox"/> is not, <input type="checkbox"/> is required to sign this document and return _____ copies to the issuing office.					
14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.) The above solicitation is being amended to update Scope of Work and to add Period of Performance of 30 days after contract award. Remainder of solicitation is unchanged. POC: Edgardo Carrasquillo, 904-232-3410					
Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.					
15A. NAME AND TITLE OF SIGNER (Type or print)			16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print)		
			TEL: _____ EMAIL: _____		
15B. CONTRACTOR/OFFEROR	15C. DATE SIGNED	16B. UNITED STATES OF AMERICA		16C. DATE SIGNED	
_____ (Signature of person authorized to sign)		BY _____ (Signature of Contracting Officer)		08-Oct-2004	

EXCEPTION TO SF 30
APPROVED BY OIRM 11-84

30-105-04

STANDARD FORM 30 (Rev. 10-83)
Prescribed by GSA
FAR (48 CFR) 53.243

SECTION SF 30 BLOCK 14 CONTINUATION PAGE

SUMMARY OF CHANGES

SECTION C - ITEM DESCRIPTION/STATEMENT OF WORK

The following have been modified:

SOW

Demolition and Removal
of
Existing INS Transmission Tower
at
Port St. Lucie, Florida

Scope of Work

Scope of Work (SOW) General: The contractor shall remove one standing tower, approximately 225-foot in height, along with transmission cable and guy wires, Concrete Masonry Unit (CMU) equipment/generator shed (~8'x12' CMU walls with flat concrete deck roof), associated minor appendences (shed piers and tie-downs, power poles, electrical cable from transformer to site, propane tank supports, antennas and light fixtures). Concrete foundations (below grade) for the tower, guy cables anchorages (below grade), and building slab are to remain; however, the contractor shall cut all metal protrusions from those foundations flush with concrete and remove building structure to slab grade. **The contractor shall cut flush to ground level the exposed portion of thirty-three (33) cable anchorage concrete piers, or at the contractor's option remove the concrete piers in their entirety.** Prior to demolition of the existing equipment/generator shed, the contractor shall relocate the 5 KW generator and **steel propane tank (~ 250 gallon)**. The generator, along with the **propane tank** will be delivered to Mr. Luis Guerrero at the Department of Homeland Security (DHS) Bureau of Customs and Border Protection (BCBP) office located 7201 South Airport Road, Pembroke Pines, FL 33023. The contractor shall use due care in the transportation and delivery of the generator and **propane tank. The propane tank is currently empty and only requires disconnection of the fuel line prior to removal.** Delivery of these items will be during normal business hours of 0730 to 1530 hours Monday through Friday. Please provide Mr. Guerrero (cellular 954-444-5934) 5-day advance notice prior to delivery in order to ensure acceptance upon arrival.

Order of Work: The contractor shall remove the generator and **propane tank** prior to commencing with demolition.

Permit Requirements: The contractor is responsible for properly disposing of all items in accordance with state and local ordinances and laws. The contractor shall not construct any roadways or structures and shall use care and good judgment in minimizing damage to the existing vegetation during removal operations. The contractor will be required to obtain permits for demolition from the City of Port St. Lucie. The estimated cost of the permit should not exceed \$107. **The contractor is required to remove all demolition material from the site and dispose of properly in accordance with the city of Port St. Lucie demolition permit requirements. The contractor is not authorized to dispose of any material on the city owned property upon which the tower and equipment/generator building reside.**

Safety Considerations: Power is currently on at the site for the obstruction lighting on the tower with electrical service to the area provided by Florida Power and Light (FPL). The contractor will contact Mr. Guerrero 48-hours before commencing with demolition activities so arrangements can be made to disconnect power to the site and so FPL can recover their meter prior to arrival of the contractor. In addition, the contractor

should be familiar with the U.S. Army Corps of Engineers Safety and Health Requirements Manual, EM-385-1-1. The manual can be viewed and downloaded at <http://www.hq.usace.army.mil/soh/em385/current/current38511.htm>.

Location: The site location is in southern St. Lucie County adjacent to Juliet Avenue, west of the Florida Turnpike (Highway 91), and east of Interstate 95. The existing tower site is located on City of Port St. Lucie property that is leased to the U.S. Department of Homeland Security (Border Patrol). GPS coordinates are latitude 27°19'38" and longitude 80°22'27". Access to the site is via Juliet Avenue and shall be coordinated with the U.S. Army Corps South Florida Area Office Resident Engineer.

Performance Period: The contractor is required to complete this demolition within 30-days from date of contract award.

POC Information:

Bureau of Customs and Border Protection (BCBP) (Tower Owner)- Mr. Luis Guerrero @ 954-444-5934

City of St. Lucie (Property Owner)- Mr. Walter England @ 772-871-5175

U.S. Army Corps of Engineers- (Project Manager)- Mr. Michael Schultz @ 904-232-1237

U.S. Army Corps of Engineers- (Resident Engineer)- Mr. Walter Wood @ 561-472-3513

(End of Summary of Changes)